FLUSH-MOUNTED DOWNLIGHT 719 20W 4000K

REF. **71922030-984**

BASIC INFORMATION

FINISH
White

PACKAGING
Box

APPLICATION
General lighting

ETIM CLASS
EC001744

TECHNICAL INFORMATION

FREQUENCY
50 - 60 Hz

POWER SUPPLY (V~)
220/240 V~

COLOR TYPE
WW

IP RATING
IP20

CONTROL
On/Off

OPTICS
Microprismatic

PHOTOMETRY ASSETS – CONICAL



PHOTOMETRY ASSETS – POLAR



INSTALLATION AND MAINTENANCE

MINIMUM INSTALLATION HEIGHT

35

REGULATIONS

WARRANTY

3 years

REGULATIONS

Dir. 2014/35/UE LVD|Dir. 2014/30/UE EMC|Dir. 2009/125/EC ErP (Reg. UE 2019/2020)|Dir. 2009/125/EC ErP (Reg. UE 2019/2015)|Dir. 2011/65/UE RoHS + post. mod.|EN 60598-2-2:2012|EN IEC 55015:2019 + A11:2020|EN 62493:2015|EN 61547:2009|EN 62717:2017 + A2:2019|EN IEC 61000-3-2:2019 + A1:2021*1|EN IEC 63000:2018|EN 61000-3-3:2013 + A1:2019 + A2:2021

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053327012

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.3

PRODUCT NET WEIGHT
0.21

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053327012

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
40

PACKAGING WIDTH
225

PACKAGING LENGTH
225

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
2025000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.3

PACKAGING NET WEIGHT
0.21

PACKAGING WEIGHT UNIT
KGM