


## SLIM SYSTEM modular luminaire End Cover with suspension cable and DALI power supply 150 W White

REF. 90094109-000



### BASIC INFORMATION

#### BODY MATERIAL

Die-cast aluminium

#### PACKAGING CONTENTS

1 Unit

#### ETIM CLASS

EC002557

#### APPLICATION

Domestic, Office, Retail, Hotel, Contract

#### PACKAGING DIMENSIONS (MM)

100x105x320 mm

## TECHNICAL INFORMATION

### IP RATING

IP20

### CONTROL

DALI

### ENERGY EFFICIENCY

A+

### OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

### DIRECTIONAL

No

### PHOTOBIOLOGICAL CLASSIFICATION

Class II

### RAL

9016

### DRIVER INCLUDED

Yes

### POWER (W)

150 W

## INSTALLATION AND MAINTENANCE

### INSTALLATION TYPE

Suspended

## REGULATIONS

### EAC MARKED

Yes

### ECORRAE MARKED

Yes

### WARRANTY

5 years

## LOGISTICS INFORMATION

UNITARY EAN CODE

8436547033140

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8436547033140

PACKAGING VOLUME

3208275

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

100

PACKAGING GROSS WEIGHT

2.42

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

105

PACKAGING NET WEIGHT

2.16

UNITARY PACKAGING GROSS  
WEIGHT

2.2

PACKAGING LENGTH

320

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

2.16