

Bipolar socket 16A 250V ~ with connection system 1click® Simon 100

REF. 10000431-039



BASIC INFORMATION

DESCRIPTION

Bipolar socket with 16 A and 250V mechanisms and with a cut-off clamping system (1 click from the Simon 100 series). Its engagement is insertion and it is a suitable socket for flush mounting and compatible with Simon 100 Series frames. The Simon 100 Series was born with the aim of simplifying things, because its main feature is the user-friendliness, a revolutionary range in terms of user-friendliness, appearance and technical innovation, because it is the first interface with pulsed use used. It supports a cable section of 1.5-2.5mm and can be installed in places where the temperature is between 0 and 40 ° C, although it can withstand extreme temperatures between -25 and 75 ° C. It is made of metal elements with thermoplastic insulation without halogen and for its manufacture has been followed by the standards UNE 20315-1-1: 2009, UNE 20315-1-2: 2009; IEC 60884-1 Ed 3.2.

FINISH

Black

PACKAGING CONTENTS

Mechanism and instructions

COMPATIBILITY

Frames Simon 100

ETIM CLASS

EC000125

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

STORAGE TEMPERATURE RANGE (°C)

-25 - 75 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

VERSION

Unique

NUMBER OF POSSIBLE ELEMENTS

1 element

TYPE OF MECHANISM

Insertion

VOLTAGE (V~)

250 V~

FORMAT

Two-pole

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

INDICATOR FUNCTION

No

POWER SUPPLY (V~)

250 V~

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

universal

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

1 click connection (1 click®)

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012 + IEC 60884-1 Ed 3.2

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053142080

PACKAGING VOLUME
1584375

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
65

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.406

PACKAGING WIDTH
125

PACKAGING NET WEIGHT
0.41

PRODUCT NET WEIGHT
0.041

PACKAGING LENGTH
195

PACKAGING WEIGHT UNIT
KGM

