

German socket outlet 16A 250V~ with safety device and screw terminal connection white Simon 31

REF. 31432-60



BASIC INFORMATION

DESCRIPTION

Schuko socket outlet white in colour, with safety device and screw terminal connection of the series Simon 31. Its voltage is 250 and has a current of 16 A and works by insertion. The covers of this socket-outlet include the child protection function and has 2 modules and 1 element. Its dimensions are 64x65mm and supports a section of wire 2.5 mm with a stripped x Ø13 mm. It works, perfectly in rooms with a temperature located between 5 and 40°C, although it can withstand extreme temperatures of -25 to 50°C, approximately. It is made of metal components with halogen-free thermoplastic insulation and thermoset trim and in compliance with the regulations UNE 20315-1-1: 2009, UNE 20315-1-2: 2009. Its maintenance is quite simple, as it will only need a soft cloth slightly moistened in soapy water, without resorting to never use cloths or abrasive cleaners containing chlorine.

FINISH

White

PACKAGING CONTENTS

Socket outlet with cover

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000125

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

MONOBLOCK

No

CABLE SECTION ADMITTED (MM)

2,5 mm

IP RATING

IP21

OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

FORMAT

Schuko

TYPE OF MECHANISM

Insertion

VERSION

Single

INDICATOR FUNCTION

No

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

UNE 20315-1-1:2009, UNE 20315-1-2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053055588

PACKAGING VOLUME
3026595

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
83

PACKAGING GROSS WEIGHT
1.03

UNITARY PACKAGING GROSS
WEIGHT
0.103

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
1.03

PRODUCT NET WEIGHT
0.103

PACKAGING LENGTH
221

PACKAGING WEIGHT UNIT
KGM