

Mini beacon kits 830.32 CW

REF. 83032042-876



BASIC INFORMATION

DESCRIPTION

One of the most demanded items private individuals and professionals in the sector of electrical and the construction is the kit for the mini beacon with type of lighting colour 830.32 CW and optics translucent of the series Simon 830. Have lumens watt of 250 lm / 4 ' 9 W, having a frequency of 50 / 60 Hz and have a power of 230 V detailed are some of the qualities of this kit. Its finish is stainless steel. It has dimensions of 0.45 () x 31 mm and a weight of 0.5 kg, it also, its structure has a classic controlling the type ON-OFF. Its installation is carried out in a comfortable and simple way in just a few minutes, semi-flush mounted both in the wall and floor. All this with the most competitive price on the market, which has become a leader compared to other similar products manufactured by other competing companies.

BODY MATERIAL

Stainless steel

APPLICATION

Indoor courtesy lighting, Indoor decorative lighting

PACKAGING CONTENTS

3 Units + 1 power supply

ETIM CLASS

EC002892

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS/W

250 lm/4,9W

IP RATING

IP20

ELECTRICAL CLASS

Type 2

OPTICS

Translucent

OPERATING TEMPERATURE RANGE (°C)

-15 - 40 °C

INTEGRATED POWER SUPPLY

No

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

230 V~

L70 (°C)

25,000 h at 25 °C

POWER (W)

4.9 W

COLOR TEMPERATURE (K)

5800 K

COLOR TYPE

CW

POWER SUPPLY DIMENSIONS (MM)

42.2x40.2x22 mm

CONTROL

On/Off

LIGHTING EFFICIENCY (LM/W)

51 lm/W

SERVICE LIFE

25.000 h

CRI

72

LUMENS (LM)

250 lm

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Semi-flush mount (wall, floor)

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

2 years 25,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053094044

PACKAGING VOLUME
2.16

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
1

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
50

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.364

PACKAGING WIDTH
180

PACKAGING NET WEIGHT
0.364

PRODUCT NET WEIGHT
0.364

PACKAGING LENGTH
240

PACKAGING WEIGHT UNIT
KGM