

Charger 1.5 A 5V DC type A USB port white Simon K45

REF. K126C/9



BASIC INFORMATION

FINISH

White

MATERIAL

Thermoplastic

COMPATIBILITY

Simon K45 enclosure for mounting on the wall, floor, ceiling and furniture. Not compatible with Simon 500 Cima enclosures (for this, use ref. 2701097-030 and the S27 to Simon 500 Cima adaptor, ref. 50011088-030)

PACKAGING CONTENTS

USB charger, trim cover and installation manual

ETIM CLASS

EC002949

TECHNICAL INFORMATION

AVAILABLE MARKET CE	IP RATING IP20	RECESS DIMENSION (MM) 40
CABLE SECTION ADMITTED (MM) From 1,0 to 2,5 mm	MAINTENANCE Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.	USB CHARACTERISTICS 7,5W
NUMBER OF CONNECTORS 1	TYPE OF MECHANISM Insertion	USB CURRENT (A) 1,5 A
CONNECTOR TYPE USB A	POWER SUPPLY (V~) 230 V~	USB VOLTAGE (V~) 5 Vdc
NUMBER OF CONTACTS 2	RAL 9003	VERSION Single
FORMAT USB A		NUMBER OF WIRES 2

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM) 8	INSTALLABLE IN FLUSH MOUNT JUNCTION BOX Universal and specific Simon K45.	TYPE OF TERMINAL CONNECTION - FUNCTION 1 Screw
REMOVAL OF CONNECTOR Only with tool	INSTALLATION DIRECTION Horizontal, Vertical	TYPE OF TERMINAL CONNECTION - FUNCTION 2 Screw
EXTINGUISHING (°C) +850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)	INSTALLATION TYPE Suitable for surface and flush mounting	

REGULATIONS

REGULATIONS

UNE 20315-1-1:2009 + 20315-1-2:2009 + NF C-61314:2008 + A1:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053226780

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.045

PRODUCT NET WEIGHT

0.045

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053226780

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

50

PACKAGING WIDTH

42

PACKAGING LENGTH

50

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

105000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.045

PACKAGING WEIGHT UNIT

KGM