
Front kit for 1 element with Simon iO master rocker and Simon iO master rocker for blinds matt black Simon 100

REF. **10020117-238**



BASIC INFORMATION

DESCRIPTION

Front kit for 1 element with master key Simon iO for blinds made in beautiful black colour and matte finish. It is a product of the 100 series of Simon and is compatible with the rest of the mechanisms of this series.

It consists of dimensions of 85.5x83.5mm and its voltage is 250V. It has no claw. The type of activation of this product is by means of a push-button, with the same being a standard version suitable for commercialisation throughout the EC. The type of emborning is screw-based.

Its sense of installation can be both vertical and horizontal.

Maintenance is simple, just use a soft cloth slightly dampened with soapy water, without using cleaners that compromise the surface of the product, such as those containing chlorine.

The temperature range for proper operation varies between 5º C and 40º C and the temperature range for storage ranges from -25º C and 50º C. It complies with the following directives: 2014/35/UE LVD + directive 2014/30/UE EMC + directive 2011/65/EU RoHS + EN 50581: 2012 + EN 60669-2-1: 2004 + EN 60669-2-1: 2004 A1: 2009 + EN 60669-2-1: 2004 A12: 2010.

FINISH

Matt black

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

NUMBER OF POSSIBLE ELEMENTS
1 element

INDICATOR FUNCTION
Yes

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM
Push button rocker switch/Insertion

MONOBLOCK
No

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
1 element

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

INSTALLATION DIRECTION
Horizontal, Vertical

KIT INSTALLATION DIRECTION
Vertical and horizontal

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053213315

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.064

PRODUCT NET WEIGHT
0.064

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053213315

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
10

PACKAGING WIDTH
84

PACKAGING LENGTH
84

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
70560

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.064

PACKAGING WEIGHT UNIT
KGM