Metal flush-mount wall box for 6 double elements stainless steel Simon 500 Cima

REF. **51000116-036**



BASIC INFORMATION

FINISH
Stainless steel

MATERIAL
Stainless steel

COMPATIBILITY
Simon 500 Cima and Simon 27 Play/Simon K45 mechanisms using a specific adaptor

PACKAGING CONTENTS
Floor box, metal partition wall, ground connection cable, fixing studs, screws and installation manual

ETIM CLASS
EC002601

REMARKS
The frame holders include linkable parts that form blocks, allowing the electrical part to be separated from the voice and data part for ease of maintenance

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
1, 2, 3, 4 and 6 double elements

ELECTROMAGNETIC IMMUNITY FOR VDM WIRING
Secured by installing the metal partition wall in the rail fitted into the box for this purpose.

NUMBER OF ENCLOSURES FOR GROUND CONNECTION
Dedicated rail in the box structure

IK CLASSIFICATION
10

IP RATING
IP40

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

NUMBER OF MODULES
12

RECESS DIMENSION (MM)
170 x 397 mm

NUMBER OF SIDE ENTRANCES
4

VERSION
6 double elements

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

TYPE OF FASTENING
Using the claws included in the enclosure, in combination with aggregates, binders, additives, etc.

REMOVAL OF THE FRAME
Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima (supplied with the frame)

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Suitable for flush mounting on the wall

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053099407

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
2.423

PRODUCT NET WEIGHT
2.423

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053099407

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
69

PACKAGING WIDTH
188

PACKAGING LENGTH
415

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
5.383


PACKAGING VOLUME UNIT
DMQ


PACKAGING GROSS WEIGHT
0


PACKAGING NET WEIGHT
2.423


PACKAGING WEIGHT UNIT
KGM


170
397


Ø25
Ø20
Min. 2 / Max. 30


10
57
166


188
100
50
415
simon


Ø20
Ø25
Ø25
Ø20