

Flat voice and data plate without dust cover for 1 RJ45 Panduit® for 1 element white Simon 500 Cima

REF. 50019185-030



BASIC INFORMATION

DESCRIPTION

This plate of voice and data plate belongs to the Simon 500 Cima range. It is a product is ideal for a connector, 1 Panduit ® RJ45 for one element, its installation and use is extremely simple and also Simon, always looking for facilitate the task of the user, included in the product the clips necessary for the fastening of the plate in vertical or horizontal enclosures without the need for an adaptor. The plate is made up of a single module and its dimensions are 50 x 50 millimetres and 11 millimetres of depth and comes in a traditional white colour, which makes it ideal for those who want to integrate into any type of space regardless of its decorative style and aesthetics. The product is made of halogen-free thermoplastic material, so that it has a lot of resistance and an extra hardness. In addition this material incremented considerably the security of the final set as it does not propagate the spread in case of fire and reduces the toxicity of smoke.

FINISH

White

PACKAGING CONTENTS

Flat voice and data plate without
dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

DUST SHUTTER

No

NUMBER OF MODULES

1

AVAILABLE IN

Plate for 1 and 2 RJ45

FORMAT

RJ45

PLATE TYPE

Flat

COMPATIBLE WITH CONNECTORS

Panduit® Mini-Com Series.

IP RATING

IP20

RAL

9003

RJ45 CONNECTORS

Not included in voice and data plate

KIT AVAILABILITY

No

RJ45 ADAPTOR MODULE

Included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT RJ45 PLATES

RJ45 Panduit® connectors

SNAP-FIT TYPE

RJ45 Panduit® connectors

DUST PROTECTION

No

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053097144

PACKAGING VOLUME

0.604

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

10

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

54

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING GROSS WEIGHT

0.024

PACKAGING WIDTH

52

PACKAGING NET WEIGHT

0.24

PRODUCT NET WEIGHT

0.024

PACKAGING LENGTH

215

PACKAGING WEIGHT UNIT

KGM

