

Angled voice and data plate without dust cover 1 element for 1 RJ45 aluminium Simon 500 Cima

REF. 50000181-033



BASIC INFORMATION

DESCRIPTION

This angled voice and data plate of 1 element for 1 RJ45 does not contain dust shutter and is finished in aluminium. It is included in the Simon 500 Cima series, a collection that proposes a revolutionary system of workplace solutions and an installation significantly more quickly in its mechanisms thanks to the click terminal connection. The plate has dimensions of 50x50x21 mm and includes clips for fastening in both vertical and horizontal enclosures without the need adapter. It is made of halogen-free thermoplastic, a material that is characterized by its security in case of fire, prevent the propagation of the fire. The product, in addition, it is in full compliance with the current regulation. For maintenance, the manufacturer advises you to clean the piece with a soft and dry suede. Remember that abrasive cleaners containing chlorine are not recommended at all, as they could damage the plate.

FINISH

Aluminium

PACKAGING CONTENTS

Angled voice and data plate
without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

FORMAT

RJ45

NUMBER OF MODULES

1

AVAILABLE IN

Plate for 1 and 2 RJ45

IP RATING

IP20

PLATE TYPE

Angled

RJ45 CONNECTORS

Not included in voice and data plate

KIT AVAILABILITY

No

RJ45 ADAPTOR MODULE

Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT RJ45 PLATES

Corresponding to combined MD module

DUST PROTECTION

No

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

SNAP-FIT TYPE

Corresponding to combined MD module

DUST SHUTTER

No

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053095171

PACKAGING VOLUME
13.561

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
20

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
88

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.013

PACKAGING WIDTH
1223

PACKAGING NET WEIGHT
0.26

PRODUCT NET WEIGHT
0.013

PACKAGING LENGTH
126

PACKAGING WEIGHT UNIT
KGM

