

Angled voice and data plate without dust cover 1 element for 1 RJ45 white Simon 500 Cima

REF. 50000181-030



BASIC INFORMATION

DESCRIPTION

Plate of voice and data plate, of the Simon 500 Cima series. This plate without dust cover, it is an element for an RJ45 connector. In colour and finish white individual version for a single module. The snap-fit of the voice and data plate is according to combined MD module. You can use both for one and two connectors. The clips to install this plate in Simon 500 Cima enclosures horizontal or vertical, are included. By the both, does not require the use of adapters or vertical positioners. Measuring lamps (50 x50 x21 mm), it provides versatility in its installation. It is made of a material thermoplastically, to ensure maximum security. Also, it can withstand temperatures of up to + 60 degrees centigrade. An important characteristic of these voice and data plates Simon is that are easy maintenance and cleaning, as it does not require the use of chemical products for this purpose.

FINISH

White

PACKAGING CONTENTS

Angled voice and data plate
without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

RAL

9003

RJ45 CONNECTORS

Not included in voice and data plate

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RJ45 ADAPTOR MODULE

Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

SNAP-FIT RJ45 PLATES

Corresponding to combined MD module

DUST PROTECTION

No

SNAP-FIT TYPE

Corresponding to combined MD module

FORMAT

RJ45

NUMBER OF MODULES

1

VERSION

Single

PLATE TYPE

Angled

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053095157

PACKAGING VOLUME
14.637

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
20

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
88

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.013

PACKAGING WIDTH
1223

PACKAGING NET WEIGHT
0.26

PRODUCT NET WEIGHT
0.013

PACKAGING LENGTH
136

PACKAGING WEIGHT UNIT
KGM

