# S-Video connector female with trim plate white Simon K45

REF. **K103B/9**



# BASIC INFORMATION

## DESCRIPTION

The K45 series of Simon is composed of all types of products designed to the interconnectivity in professional environments such as offices, meeting rooms or even hospitals and libraries. So you require multiple mechanism to give solution to the different types of connections that exist today. Such as this S-Video connector, half an element. With trim plate in white colour, it is made of metal components with thermoplastic insulation of high range and halogen-free. It is fireproof, self-extinguishing. In this way, Simon ensures that the is not propagate fire and the low toxicity in case of smoke will be of fire. This socket is available both to be recessed and surface-mounted, it has a screw terminal connection, without the need for welding and has a section from 0.2 to 0.5 mm cable section. It is recommended not to use a cabling greater than 30 meters.

## FINISH

White

## COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

## PACKAGING CONTENTS

Female S-Video connector, wire cable tie and instruction sheet

## ETIM CLASS

EC000018

## REMARKS

Maximum wire length recommended; 30 meters For additional information, please read the product instruction sheet

## TECHNICAL INFORMATION

### AVAILABLE MARKET
CE

### CABLE SECTION ADMITTED (MM)
From 0,2 to 0,5 mm

### CONNECTOR TYPE
S-Video

### NUMBER OF CONTACTS
4

### NUMBER OF POSSIBLE ELEMENTS
1/2 element

### FORMAT
S-Video

### IP RATING
IP20

### MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

### RAL
9003

### STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

### VERSION
Single

### NUMBER OF WIRES
5

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

### INSTALLATION TYPE
Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS
Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

## LOGISTICS INFORMATION

UNITARY EAN CODE
8426436064690

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.025

PRODUCT NET WEIGHT
0.023

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436064690

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
50

PACKAGING WIDTH
42

PACKAGING LENGTH
50

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
0.012

PACKAGING VOLUME UNIT
HLT

PACKAGING GROSS WEIGHT
0.025

PACKAGING NET WEIGHT
0.023

PACKAGING WEIGHT UNIT
KGM