


USB C+C 30W Charger Simon 75

REF. 7500297-039



BASIC INFORMATION

DESCRIPTION

USB C+C 30W Charger from the Simon 75 series.

MATERIAL

FR4,Steel,Plastic

COMPATIBILITY

Molduras e tampas Simon 360 e
Simon 82

ETIM CLASS

EC002949

REMARKS

Suitable for electronic devices with a type C universal charger, mandatory in the EU according to current legislation.

TECHNICAL INFORMATION

FORMAT

USB

POWER SUPPLY (V~)

127/230 V~

USB PORT TYPE

C

FREQUENCY

50 - 60 Hz

RECESS DIMENSION (MM)

40

POWER DELIVERY USB

Yes

IP RATING

IP20

USB CHARACTERISTICS

USB C1+C2 = 5,0 VDC 3,0 A 15,0 W; USB C1/C2 = 5,0 VDC 3,0 A 15,0 W / 9,0 VDC 3,0 A 27,0 W / 12,0 VDC 2,5 A 30,0 W / 15,0 VDC 2,0 A 30,0 W / 20,0 VDC 1,5 A 30,0 W

QUICK CHARGE USB

Yes

LINKABLE

Yes

USB VOLTAGE (V~)

5/20 V~

MONOBLOCK

No

VOLTAGE (V~)

127/230 V~

USB CURRENT (A)

3.0 A

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

8

REMOVAL OF COVER

Only with tool

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

CLAW

Simon 27

INSTALLATION DIRECTION

Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053433362

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.09

PRODUCT NET WEIGHT

0.08

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053433362

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

75

PACKAGING WIDTH

60

PACKAGING LENGTH

75

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

337500

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.1

PACKAGING NET WEIGHT

0.08

PACKAGING WEIGHT UNIT

KGM

