

Complete kit for 1 element with HUB PRO Simon iO German socket outlet gloss black Simon 100

REF. 10032108-138



BASIC INFORMATION

FINISH

Gloss black

MATERIAL

Plastic

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC004265

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CONNECTIVITY PROTOCOL

Z-wave

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

STORAGE TEMPERATURE RANGE (°C)

-25 - 75 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VOLTAGE (V~)

230 V~

CURRENT (A)

16 A

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

INSTALLATION DIRECTION

Vertical

KIT INSTALLATION DIRECTION

Vertical

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + Directive 2014/53/UE RED + EN 50581:2012 + EN 60730-2-7:2015

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053226278

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053226278

PACKAGING VOLUME

4344032

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

86

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

164

PACKAGING NET WEIGHT

0.122

UNITARY PACKAGING GROSS
WEIGHT

0.122

PACKAGING LENGTH

308

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.122