Spotlight 640.30 Surface mount Rose Wide Flood White

REF. **64030030-481**



BASIC INFORMATION

DESCRIPTION

Model spotlight for Indoor lighting reference number 64030030-481, element to offer lighting Constant and high performance in work spaces professionals Indoor. It is a range of the spotlight Professional 640 with excellent technical qualities, it has a lighting colour Rose and a value of optics WIDE FLOOD enhancing a constant light and High performance. Incorporates an electrical control of the type and values of ON-OFF Power up to 23 W. Element category B with a Dimensions of 185x130 () mm, designed for an easy assembly and surface mount installation colour, tones and finishes in white, the piece appearance and technically High quality.

APPLICATION

General lighting

TECHNICAL INFORMATION

FREQUENCY
50 - 60 Hz

IP RATING
IP20

OPERATING TEMPERATURE RANGE (ºC)
35 ºC maximum

POWER SUPPLY (V~)
120/240 V~

COLOR TEMPERATURE (K)
1750 K

CONTROL
On/Off

DRIVER INCLUDED
Yes

ELECTRICAL CLASS
type 1

L70 (ºC)
100,000 h at 25º C

L90 (ºC)
30,000 h at 25 ºC

COLOR TYPE
Rose

LIGHTING EFFICIENCY (LM/W)
57 lm/W

LUMENS (LM)
1700 lm

LUMENS/W
1700 lm/30W

OPTICS
Wide Flood

PHOTOBIOLOGICAL CLASSIFICATION
Exempt category

POWER (W)
30 W

SERVICE LIFE
50.000 h

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES
Suspended

INSTALLATION TYPE
Surface

REGULATIONS

WARRANTY
5 years 50,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
1.754

PRODUCT NET WEIGHT
1.59

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053141663

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
155

PACKAGING WIDTH
160

PACKAGING LENGTH
250

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
6200000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
1.754

PACKAGING NET WEIGHT
1.59

PACKAGING WEIGHT UNIT
KGM