

# Custom button box 6 functions lighting, blinds and temperature with KNX coupling unit and slide control graphite Simon 82 Sense

REF. 8400674-038



## BASIC INFORMATION

### FINISH

Graphite

### MATERIAL

Thermoplastic

### PACKAGING CONTENTS

Coupling unit, keypad, Slide Control, RJ12 cable and instructions

### ETIM CLASS

EC000205

### REMARKS

Possibility of customising and creating your own configuration by choosing the functions you need from our icon library.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### NUMBER OF POSSIBLE ELEMENTS

2 elements

### INDICATOR FUNCTION

Yes

### INPUT CABLE SECTION ADMITTED (MM)

From 0.5 to 2.5 mm

### INPUT INTENSITY (MA)

6

### INPUT TYPE

Digital, volt-free

### CURRENT (A)

27,6 mA

### IP RATING

IP20

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### MAXIMUM VOLTAGE AT THE INPUT (VCC)

24 V DC

### TYPE OF MECHANISM

Touch

### OPERATING TEMPERATURE RANGE (°C)

0 - 45 °C

### POWER SUPPLY (V~)

Bus KNX (21 Vcc...32 Vcc)

### PROTOCOL

KNX

### PROGRAMMING PUSH BUTTON

Yes

### RELATIVE HUMIDITY

From 20 to 85% (without condensation)

### SLIDE CONTROL

Yes

### SOUND FEEDBACK

Yes

### STORAGE TEMPERATURE RANGE (°C)

25 - 70 °C

### VIBRATION FEEDBACK

Yes

## INSTALLATION AND MAINTENANCE

### BUS CABLE SECTION ADMITTED (MM)

From 0.5 to 0.8 mm

### CABLE STRIPPING NECESSARY (MM)

8

### BUS CONNECTION TYPE OF TERMINAL CONNECTION

Por inserción

### CLAW

Optional

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

### INSTALLATION TYPE

Suitable for surface and flush mounting

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-5:2016 + + + + + +

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053129531

### PRODUCT NET WEIGHT

0.17

### PACKAGING MEASUREMENT

UNIT

MMT

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WEIGHT

UNIT

KGM

### PACKAGING VOLUME

806880

### UNITARY PACKAGING WIDTH

0

### PACKAGING EAN

8421053129531

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING LENGTH

0

### UNITS CONTAINED PACKAGING

1

### PACKAGING GROSS WEIGHT

0.17

### UNITARY PACKAGING VOLUME

0

### PACKAGING HEIGHT

82

### PACKAGING NET WEIGHT

0.17

### UNITARY PACKAGING VOLUME UNIT

MMQ

### PACKAGING WIDTH

82

### PACKAGING WEIGHT UNIT

KGM

### UNITARY PACKAGING GROSS WEIGHT

0.17

### PACKAGING LENGTH

120