Angled voice and data plate with dust cover 1 element for 2 RJ45 graphite Simon 500 Cima

REF. **50000086-038**



BASIC INFORMATION

DESCRIPTION

Voice and data plate, with dust shutter, an element and for two RJ45 connectors. It is available in a stylish finished in graphite grey colour and belongs to the Simon 500 Cima series. The snap-fit of the product is made according to combined MD module. This is the individual version of a single module, it is also available for 1 or 2 RJ45 connectors. This plate Simon 500 Cima includes the clips required for fastening in both vertical and horizontal enclosures without resorting to any adaptor. Its dimensions are 50 x 50 millimetres, with a depth of 21 millimetres. It is manufactured using a thermoplastic material, halogen-free, which ensures the security in its use. These components minimize the toxicity if there is smoke and guarantees no flame spread in case of fire management. For maintenance optimum you just need to use a soft and dry cloth. Do not include RJ45 connectors.

FINISH

Graphite

PACKAGING CONTENTS

Angled voice and data plate with dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

IP RATING
IP20

RAL
7021

RJ45 CONNECTORS
Not included in voice and data plate

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RJ45 ADAPTOR MODULE
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

SNAP-FIT RJ45 PLATES
Corresponding to combined MD module

DUST PROTECTION
Yes

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

SNAP-FIT TYPE
Corresponding to combined MD module

FORMAT
RJ45

NUMBER OF MODULES
1

VERSION
Single

PLATE TYPE
Angled

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053254509

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.029

PRODUCT NET WEIGHT
0.029

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053095096

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
88

PACKAGING WIDTH
123

PACKAGING LENGTH
136

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
1.472

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.58

PACKAGING WEIGHT UNIT
KGM


50
50
5
11
10