

Spotlight 640.30 Surface mount WW CRI92 Wide Flood White

REF. 64030030-493



BASIC INFORMATION

DESCRIPTION

Spotlight 640.30 belonging to the series Simon Projectors 640 that is a new range of spotlights with LED technology is perfect for illuminating heat sensitive products and to avoid the loss of colour. This spotlight has Wide Flood optics, colour temperature of 3000 K and a light intensity of 2200 lm / 30 W. The range 640.30 is comprised of surface-mounted and suspended LED spotlights and which are perfect for general or isolated lighting in retail or in museums and exhibition halls, depending on size and lighting power. It is fed through a power 120-240 V and its service life is a 30,000 hours to operate at 25 ° C, although it is a type of spotlight perfect to operate in places with a maximum temperature of 35. Its frequency detail is 50 / 60 Hz and is controlled with switch On / Off. This spotlight is installed in surface-mounted and has a white finish, (although this series of spotlights, it is also available in black) and a weight of 0.9 kg

APPLICATION

General lighting

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

CRI

92

LUMENS (LM)

2100 lm

IP RATING

IP20

DRIVER INCLUDED

Yes

LUMENS/W

2100 lm/30W

OPERATING TEMPERATURE RANGE (°C)

35 °C maximum

ELECTRICAL CLASS

Type 1

OPTICS

Wide Flood

POWER SUPPLY (V~)

120/240 V~

L70 (°C)

100,000 h at 25° C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

3000 K

L90 (°C)

30,000 h at 25 °C

POWER (W)

30 W

CONTROL

On/Off

COLOR TYPE

WW

SERVICE LIFE

50.000 h

LIGHTING EFFICIENCY (LM/W)

70 lm/W

CHROMATICS CRI ICONS

CRI
92

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES

Suspended

INSTALLATION TYPE

Surface

REGULATIONS

WARRANTY

5 years 50,000 h

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053140963

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

1.754

PRODUCT NET WEIGHT

1.59

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053140963

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

155

PACKAGING WIDTH

160

PACKAGING LENGTH

250

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

6200000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

1.59

PACKAGING WEIGHT UNIT

KGM