
# Voice and data angled plate with dust cover for 1 element for 1 RJ45 connector aluminium Simon K45

REF. **K80/8**



# BASIC INFORMATION

## DESCRIPTION

Angled plate for 1 and 2 RJ45 connectors according to combined MD module of the series Simon K45 and that is used for both voice and data and with dust cover. It is a plate individual type and with an average number of modules, which has been manufactured according to the regulation UNE-EN 60670-1: 2006 in thermoplastic of colour white halogen-free, so that make it a very safe plate since avoiding flame spread (in case of fire) as well as a high toxicity (in the event of smoke generation). It is suitable for installation both in surface-mounted and recessed in rooms with a temperature located between the -5 and 60 ° C, which makes it an option of voice and data plate, perfect for all types of climatology. Its cleaning is quite simple, just use a soft, dry cloth to clean it.

## FINISH

Aluminium

## COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-033)

## PACKAGING CONTENTS

Inclined voice and data plate with dust cover

## ETIM CLASS

EC000018

## REMARKS

When combining the voice and data plate in vertical housings (mini columns, columns, Teleblock, channels, mechanism holders, etc.) you must use the 90º positioner (ref. K66) to guide the plate into a vertical position.

## TECHNICAL INFORMATION

### AVAILABLE MARKET
CE

### IP RATING
IP20

### PLATE TYPE
Angled

### RJ45 CONNECTORS
Not included in voice and data plate

### MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### RJ45 ADAPTOR MODULE
Not included in voice and data plate

### MAX TEMP DURING CONSTRUCTION WORK (°C)
+60° C

### TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60° C

### SNAP-FIT RJ45 PLATES
According to combined MD module

### DUST PROTECTION
Yes

### NUMBER OF MODULES
Half

### SNAP-FIT TYPE
According to combined MD module

### FORMAT
RJ45

### VERSION
Single

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-033)

### INSTALLATION DIRECTION
Vertical according to the direction of the mechanisms

### INSTALLATION TYPE
Suitable for surface and flush mounting

### REMOVAL OF THE PLATE
Only with tool

## REGULATIONS

### REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
73603

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.01

PRODUCT NET WEIGHT
0.01

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436050228

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
88

PACKAGING WIDTH
123

PACKAGING LENGTH
136

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1472064

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.29

PACKAGING NET WEIGHT
0.2

PACKAGING WEIGHT UNIT
KGM