

Two-pole socket outlet 16A 250V~ with safety device and screw terminal connection decorative brown Simon 31

REF. 31431-66



BASIC INFORMATION

DESCRIPTION

With a design with soft lines and timeless, the two-pole socket outlet Simon 31 is integrated into all types environments thanks to its style simple and discreet. With finishes in a subtle tone, brown, includes child safety device aunando functionality and security in a single design. Isolated made up of materials with halogen-free thermoplastic and finished in metal, protects the room is a possible fire to prevent the flame spread and toxicity by smoke. It consists of two modules, with wire section admitted 2.5 mm and stripping of the 13 mm; everything, in an appearance stylish and with a size of 64 x 65 mm, it also with screw terminal connection, guaranteeing the optimum integration of the set in all types of spaces compact. It is compatible with a voltage of power of 250 Volts, and 16 Ampere current.

FINISH

Decorative brown

PACKAGING CONTENTS

Socket outlet with cover

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000125

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

MONOBLOCK

No

CABLE SECTION ADMITTED (MM)

2,5 mm

IP RATING

IP20

OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

FORMAT

Two-pole

TYPE OF MECHANISM

Insertion

VERSION

Single

INDICATOR FUNCTION

No

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

UNE 20315-1-1:2009, UNE 20315-1-2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

PRODUCT NET WEIGHT
0.095

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING VOLUME
3026595

UNITARY PACKAGING LENGTH
0

PACKAGING EAN
8421053055557

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
3026595

UNITS CONTAINED PACKAGING
10

PACKAGING GROSS WEIGHT
0.95

UNITARY PACKAGING VOLUME
UNIT
MMQ

PACKAGING HEIGHT
83

PACKAGING NET WEIGHT
0.95

UNITARY PACKAGING GROSS
WEIGHT
0.095

PACKAGING WIDTH
165

PACKAGING WEIGHT UNIT
KGM

PACKAGING LENGTH
221