

# Two-pole socket outlet 10A 250V~for half element with safety device and fast terminal connection white Simon 27 Play

REF. 27442-64



## BASIC INFORMATION

### DESCRIPTION

The two-pole socket outlet with safety device, from the Simon 27 Play series, finished in white with its allows a simple installation in the home. In its individual version with a medium element. Its reference is 27442-64. Its current is 10A and a voltage of 250V~ Its operation is by insertion and screw terminal connection. Supports a cable section of 2.5mm and the stripping of the need to wire is 15mm. It is suitable for installation in any universal box for flush-mounted, such as on the surface-mounted. It measures 22.5x45mm. Its manufacturing material is DIVERSO, with metal components with halogen-free thermoplastic insulation and a thermo-stable plastic trim.

### FINISH

White

### COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

### PACKAGING CONTENTS

Socket outlet with cover

### ETIM CLASS

EC000125

### REMARKS

Suitable for replacement or export.

## TECHNICAL INFORMATION

### CABLE SECTION ADMITTED (MM)

2,5 mm

### IP RATING

IP20

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

Half element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### FORMAT

Two-pole

### TYPE OF MECHANISM

Insertion

### VERSION

Single

### INDICATOR FUNCTION

No

### VOLTAGE (V~)

250 V~

### CURRENT (A)

10 A

### MONOBLOCK

No

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

15

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American, Small spaces and Centralisations

### INSTALLATION TYPE

Suitable for surface and flush mounting

### CLAW

Simon 27

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

## REGULATIONS

### REGULATIONS

No aplica

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.039

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

1201200

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053037942

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

1201200

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.78

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

52

PACKAGING NET WEIGHT

0.78

UNITARY PACKAGING GROSS

WEIGHT

0.039

PACKAGING WIDTH

105

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

220