

## Frame for 3 elements gold interior graphite Simon 82

REF. 82834-66



### BASIC INFORMATION

#### FINISH

Gold

#### MATERIAL

Metal

#### COMPATIBILITY

Simon 75, Simon 77 and Simon 82 mechanisms

#### PACKAGING CONTENTS

Frame with 3 elements

#### ETIM CLASS

EC000007

#### REMARKS

It is recommended to use the graphite finish for rockers and covers.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP21

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### AVAILABLE IN

1, 2, 3 and 4 elements

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### INNER FRAME

Graphite

### VERSION

3 elements

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009 + UNE 20315-1-1:2009

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053261828

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.145

### PRODUCT NET WEIGHT

0.145

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053054703

### UNITS CONTAINED PACKAGING

5

### PACKAGING HEIGHT

55

### PACKAGING WIDTH

91

### PACKAGING LENGTH

235

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

1188000

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0.725

### PACKAGING NET WEIGHT

0.725

### PACKAGING WEIGHT UNIT

KGM

