


Protective lid for Kits Flash 60 USB power socket-outlets white Simon 400

REF. 43100001-130



BASIC INFORMATION

DESCRIPTION

Protective lid to conceal the individual power socket-outlet connections of Simon 400's Flash 60 kits supplied in white finish. Rotates from its direct snap-on position and closes with an internal magnet.

FINISH

White

MATERIAL

Plastic

ETIM CLASS

EC000011

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

9003

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

No tools needed

SECURING POSSIBILITIES

Using direct clipping

MOUNTING WITHOUT ACCESSORIES

Supplied with all necessary materials for installation.

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | IEC 60884-2-7 Ed 1.1*1 | UNE 20315-2-7:2008*1 | EN IEC 63000:2018 | IEC 60884-1 Ed 3.2*2 | UNE 20315-1-1:2017*2

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053292105

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053292105

PACKAGING VOLUME

51122.5

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

10

PACKAGING GROSS WEIGHT

0.019

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

71.5

PACKAGING NET WEIGHT

0.011

UNITARY PACKAGING GROSS
WEIGHT

0.011

PACKAGING LENGTH

71.5

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.011