

Schuko socket LOLA 16A 250 V~ screw terminal IP44 sand matte Simon 360

REF. 36102432-099



BASIC INFORMATION

DESCRIPTION

Schuko Socket Base LOLA 16A 250 V~ with screw terminal connection system with IP44 protection in sand finish from the Simon 360 series. In matte finish. The matte finish prevents light reflections and reduces maintenance by minimizing stains and fingerprints. Urea is the main material and has high resistance and durability, ensuring a prolonged lifespan.

FINISH

Sand

MATERIAL

Steel,Thermostable

ETIM CLASS

EC000125

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP44

POWER SUPPLY (V~)

127/250 V~

CABLE SECTION ADMITTED (MM)

1.5...2.5

LINKABLE

Yes

RAL

7044

FREQUENCY

50 - 60 Hz

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RECESS DIMENSION (MM)

40

INDICATOR FUNCTION

Yes

STORAGE TEMPERATURE RANGE (°C)

-25...+50

CURRENT (A)

16 A

OPERATING TEMPERATURE RANGE (°C)

0...+35

VOLTAGE (V~)

230 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

10

REMOVAL OF COVER

Only with tool

INSTALLATION DIRECTION

Horizontal

CLAW

Simon 27

TYPE OF FASTENING

Screw

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw



