

Simon SM34 Wall Charging Point with 5m Cable T2 Single-Phase 7.4 kW + Automatic and Differential + MID Meter

REF. 0650142-100



BASIC INFORMATION

FINISH

Graphite

APPLICATION

Residential

ETIM CLASS

EC002883

MATERIAL

ABS Plastic

OPERATING ENVIRONMENT

Residential

TECHNICAL INFORMATION

CONNECTOR TYPE

Type 2 Straight cable

IK CLASSIFICATION

10

TYPE OF LINE

Single-phase

ELECTRICITY METER

Yes

CURRENT (A)

32 A

MODE 3 STATUS INDICATOR

Yes

FREQUENCY

50 Hz

IP RATING

IP54

NUMBER OF OUTLETS

1

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2014/53/UE RED*1 | EN IEC 61851-1:2019 | EN IEC 61851-21-2:2021 | EN 62196-2:2017 | EN 62311:2008 | EN IEC 63000:2018 | ETSI EN 300 328 v2.2.2*1

LOGISTICS INFORMATION

UNITARY EAN CODE 8421053302873	PRODUCT NET WEIGHT 5.3	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING HEIGHT 0	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING VOLUME 35259360
UNITARY PACKAGING WIDTH 0	PACKAGING EAN 8421053302873	PACKAGING VOLUME UNIT MMQ
UNITARY PACKAGING LENGTH 0	UNITS CONTAINED PACKAGING 1	PACKAGING GROSS WEIGHT 5.3
UNITARY PACKAGING VOLUME 35.259	PACKAGING HEIGHT 149	PACKAGING NET WEIGHT 5.3
UNITARY PACKAGING VOLUME UNIT DMQ	PACKAGING WIDTH 408	PACKAGING WEIGHT UNIT KGM
UNITARY PACKAGING GROSS WEIGHT 5.3	PACKAGING LENGTH 580	