

## Custom button box 6 functions for lighting and temperature control in homes and offices graphite Simon 82 Sense

REF. 8000665-038



### BASIC INFORMATION

#### FINISH

Graphite

#### MATERIAL

Thermoplastic

#### PACKAGING CONTENTS

Keypad and instructions

#### REMARKS

Requires installation on LON or KNX bus coupling unit (8000100-039 or 8400100-039). Possibility of customising and creating your own configuration by choosing the functions you need from our icon library.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### TYPE OF MECHANISM

Touch

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### OPERATING TEMPERATURE RANGE (°C)

0 - 45 °C

### INDICATOR FUNCTION

Yes

### POWER SUPPLY (V~)

24 Vdc

## INSTALLATION AND MAINTENANCE

### BUS CONNECTION TYPE OF TERMINAL CONNECTION

Por inserción

### INSTALLATION TYPE

Suitable for surface and flush mounting

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-5:2016

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053129043

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.033

### PRODUCT NET WEIGHT

0.033

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053129043

### UNITS CONTAINED PACKAGING

1

### PACKAGING HEIGHT

26

### PACKAGING WIDTH

58

### PACKAGING LENGTH

86

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

129.688

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0

### PACKAGING NET WEIGHT

0.033

### PACKAGING WEIGHT UNIT

KGM