


Frame holder for 1 element with adhesive for Simon iO master push-button switch Simon 100

REF. 10001910-039



BASIC INFORMATION

MATERIAL

Stainless steel

PACKAGING CONTENTS

Mechanism and instructions

COMPATIBILITY

Simon 100 Mechanisms

ETIM CLASS

EC002948

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

1, 2, 3 and 4 elements

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 75 °C

VERSION

1 element

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053227367

PACKAGING VOLUME
178516.8

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
5

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
25.3

PACKAGING GROSS WEIGHT
0.075

UNITARY PACKAGING GROSS
WEIGHT
0.015

PACKAGING WIDTH
84

PACKAGING NET WEIGHT
0.075

PRODUCT NET WEIGHT
0.015

PACKAGING LENGTH
84

PACKAGING WEIGHT UNIT
KGM