Front kit for 1 element with 1 German socket outlet Simon iO gloss black Simon 100

REF. **10021108-138**



BASIC INFORMATION

DESCRIPTION

Front kit designed to occupy 1 element has 1 Schuko Simon iO socket base. It is made from a neutral colour, a bright black and is part of the range of Simon 100 products, so it is compatible with the rest of elements of this range.

It is a type of product designed to be marketed in the EC and has dimensions of 85.5x83.5mm. The sense of installation that it allows is both horizontal and vertical.

To ensure proper maintenance and operation, a temperature range ranging from 5 to 40º C and in a storage temperature range of -25 to 50º C must be preserved. To clean this device it is necessary to use a cloth dampened with soapy water.

It is a device that works with a voltage: 250 V ~ and has a cut type of emborning (1 click). It occupies a single element and has been made based on regulations 2011/65 / UE RoHS + directive 2014/53 / UE RED + EN 50581: 2012 + ETSI-300-220-2 v2.4.1 + EN 60730-2- 7: 2015 + IEC 60884-1 Ed 3.2

FINISH

Gloss black

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

1 element

INDICATOR FUNCTION

Yes

CURRENT (A)

16 A

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Insertion

MONOBLOCK

No

OPERATING TEMPERATURE RANGE (ºC)

5 - 40 ºC

STORAGE TEMPERATURE RANGE (ºC)

-25 - 50 ºC

VERSION

1 element

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for flush mounting

KIT INSTALLATION DIRECTION

Vertical and horizontal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

1 click connection (1 click®)

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + Directive 2014/53/UE RED + EN 50581:2012 + ETSI-300-220-2 v2.4.1 + EN 60730-2-7:2015 + IEC 60884-1 Ed 3.2

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053084113

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.058

PRODUCT NET WEIGHT
0.058

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053084113

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
25.3

PACKAGING WIDTH
84

PACKAGING LENGTH
84

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
178516.8

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.058

PACKAGING NET WEIGHT
0.058

PACKAGING WEIGHT UNIT
KGM