
French socket base 16 A 250V~ with screw terminal connection Simon 75

REF. **75458-39**



BASIC INFORMATION

DESCRIPTION

French socket base 16 A 250 V~ Simon 75 with screw terminal connection system, designed for electrical installations with French 2P+T system in residential and professional environments. Supports a nominal current of 16 amperes at 250 V~, ensuring a safe and stable power supply. Incorporates a screw connection system that provides a firm and reliable attachment of the wiring, ensuring a durable installation. The covers include integrated child protection to enhance safety in homes and public-use spaces. Made with metallic components and halogen-free thermoplastic insulation, in accordance with IEC 60884-1 standards, it offers resistance, durability, and high performance within the Simon 75 series and compatible frames.

MATERIAL

Plastic,Metal

COMPATIBILITY

Marcos Simon 75, Simon 82 Detail, Simon 82 Nature, Simon 82 Concept and Simon 82

PACKAGING CONTENTS

Socket outlet

ETIM CLASS

EC000125

REMARKS

The covers include the child protection function.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
2,5 mm

CONNECTOR TYPE
French

NUMBER OF POSSIBLE ELEMENTS
1 element

FORMAT
French

FREQUENCY
50 Hz

INDICATOR FUNCTION
No

CURRENT (A)
16 A

IP RATING
IP20

LINKABLE
Yes

TYPE OF MECHANISM
Insertion

MONOBLOCK
No

NOMINAL VOLTAGE (V~)
250 V~

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

RECESS DIMENSION (MM)
35

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

VOLTAGE (V~)
250 V~

NUMBER OF WIRES
6

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
14

CLAW
Simon 75

REMOVAL OF COVER
Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012 + IEC 60884-1 Ed 3.2

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.073

PRODUCT NET WEIGHT

0.073

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053015049

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

83

PACKAGING WIDTH

165

PACKAGING LENGTH

221

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3017190

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT


0.73


PACKAGING NET WEIGHT

0.73

PACKAGING WEIGHT UNIT

KGM


L
N


74 mm
N
L
74 mm
25 mm
37,5 mm