# Patch cord 2 metres and quick connection female IEC320-Schuko male plug Simon Electrical Wiring

REF. **KTL8/14**



## BASIC INFORMATION

### DESCRIPTION

The two patch cord and quick connection, part of the Simon series Cabling Material. With the reference KTL8 / 14. With a connector in the format female IEC320 and male plug with Schuko format. It has three poles. Its current is 10 AM and a voltage of 250V~ It is composed of metal elements with caking thermoplastic. It has a IEC format 60320 with Connector 13. Finished in graphite.

### FINISH

Black

### MATERIAL

Various

### PACKAGING CONTENTS

2-metre patch cord

### CABLING INSULATION MATERIAL

PVC (Polyvinyl chloride)

### COMPATIBILITY

Module with IEC320 connector artic K305A

### ETIM CLASS

EC002587

## TECHNICAL INFORMATION

### AVAILABLE MARKET
CE

### PROTECTION AGAINST DIRECT ACCESS OF CONTACTS
Yes

### CONNECTOR TYPE
Air

### END A OF CABLING
C13 female IEC320 connector

### END B OF THE WIRING
Schuko male plug

### FORMAT
IEC 60320 C13 connector

### CURRENT (A)
10 A

### IP RATING
IP20

### MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TYPE OF MECHANISM
Insertion

### NOMINAL VOLTAGE (V~)
250 V~

### NUMBER OF POLES
3

### RAL
7021

### STRAIN RELIEF FIXING
No

### VERSION
IEC320 Female-Schuko Male

## REGULATIONS

### REGULATIONS
IEC 60320

## LOGISTICS INFORMATION

UNITARY EAN CODE
8426436039858

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
1650000

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.23

PRODUCT NET WEIGHT
0.23

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436039858

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
50

PACKAGING WIDTH
220

PACKAGING LENGTH
150

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1650000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.23

PACKAGING NET WEIGHT
0.23

PACKAGING WEIGHT UNIT
KGM