

Set of 2 push-buttons switches for blinds 10A 250V~ without interlocking aluminium Simon 270

REF. 20000396-093

BASIC INFORMATION

DESCRIPTION

The Simon 270 double push-button in aluminium finish offers modern design and reliability. Rated at 10A 250V~, it features non-interlocking operation, quick connection, and momentary up/down control with engravings. Suitable for flush or surface installation, it's ideal for workspaces, schools, and healthcare centers. Constructed with halogen-free materials and metallic components, it provides long-lasting safety and style.

FINISH

Matt aluminium

MATERIAL

Thermoplastic

ETIM CLASS

EC000044

SYMBOL

Arrow

COMPATIBILITY

Frames and supports Simon 270

REMARKS

Mechanism with no latching. Requires control device.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

POWER SUPPLY (V~)

230 V~

INDICATOR FUNCTION

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

9006

CURRENT (A)

10 A

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY
(MM)

15

TYPE OF TERMINAL
CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053405765

UNITARY PACKAGING GROSS
WEIGHT

0.06

PACKAGING LENGTH

283

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.055

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

887205

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053405772

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING
MEASUREMENT UNIT

MMT

UNITS CONTAINED PACKAGING

5

PACKAGING GROSS WEIGHT

0.32

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

55

PACKAGING NET WEIGHT

0.275

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING WIDTH

57

PACKAGING WEIGHT UNIT

KGM

