

Slide control regulator graphite Simon 82 Sense

REF. 8000700-038



BASIC INFORMATION

FINISH

Graphite

COMPATIBILITY

Simon Sense Mechanisms

ETIM CLASS

EC000025

MATERIAL

Thermoplastic

PACKAGING CONTENTS

Slide Control, RJ12 cable and instructions

REMARKS

Auxiliary element. Requires bus coupling unit connection (8000100-039 or 8400100-039) with RJ12 cable (8000701-039)

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

1 element

INDICATOR FUNCTION

Yes

CURRENT (A)

4 mA

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Touch

OPERATING TEMPERATURE RANGE (°C)

0 - 45 °C

POWER SUPPLY (V~)

24 Vdc

RELATIVE HUMIDITY

From 20 to 85% (without condensation)

SLIDE CONTROL

Yes

SOUND FEEDBACK

No

STORAGE TEMPERATURE RANGE (°C)

25 - 70 °C

VIBRATION FEEDBACK

No

INSTALLATION AND MAINTENANCE

BUS CONNECTION TYPE OF TERMINAL CONNECTION

Por inserción

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Conector

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-5:2016

LOGISTICS INFORMATION

UNITARY EAN CODE 8421053129227	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING HEIGHT 0	PACKAGING EAN 8421053129227	PACKAGING VOLUME 309.375
UNITARY PACKAGING WIDTH 0	UNITS CONTAINED PACKAGING 1	PACKAGING VOLUME UNIT CMQ
UNITARY PACKAGING LENGTH 0	PACKAGING HEIGHT 55	PACKAGING GROSS WEIGHT 0.08
UNITARY PACKAGING VOLUME 0	PACKAGING WIDTH 75	PACKAGING NET WEIGHT 0.08
UNITARY PACKAGING GROSS WEIGHT 0.08	PACKAGING LENGTH 75	PACKAGING WEIGHT UNIT KGM
PRODUCT NET WEIGHT 0.08		