Switch for blinds 10A 250V~ with 3 positions: up, down and stop ivory Simon 27 Play

REF. **27333-62**



BASIC INFORMATION

DESCRIPTION

The switch for blinds, Simon 27 Play, with an ivory finish and in its individual version with one element, it comes with three positions: Raise, lower and stop. Allows a simple control of blinds in the home. Its reference is 27333-62. Its voltage is 250 VAC and its current of 10A It has a type of quick terminal connection and a rocker operation. The rockers, covers and plates are presented with an engraving of the raising, lowering and stopping to differentiate between each operation. The mechanism has a cable section between 1.5 to 2.5mm. The stripping required wire is 11mm. It measures 45x45mm. It has several manufacturing materials, with metal components with halogen-free insulation and thermoplastic trim.

FINISH

Ivory

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Mechanism with rocker

ETIM CLASS

EC000044

REMARKS

Mechanism with centre position to stop the up/down movement of the blinds.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 1,5 to 2,5 mm

NUMBER OF POSSIBLE ELEMENTS
1 element

INDICATOR FUNCTION
No

CURRENT (A)
10 A

IP RATING
IP20

LATCH TYPE
Mechanical

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM
Pivoting

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
11

CLAW
Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, American and Centralisations

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Fast

REGULATIONS

REGULATIONS
Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053251997

UNITARY PACKAGING HEIGHT
22.8

UNITARY PACKAGING WIDTH
39.2

UNITARY PACKAGING LENGTH
46

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0.041

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.04

PRODUCT NET WEIGHT
0.026

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053080818

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
50

PACKAGING WIDTH
105.4

PACKAGING LENGTH
220

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1.159

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.4

PACKAGING NET WEIGHT
0.26

PACKAGING WEIGHT UNIT
KGM