

Angled voice and data plate with dust cover 1 element for 2 RJ45 white Simon 500 Cima

REF. 50000086-030



BASIC INFORMATION

DESCRIPTION

Plate for connection voice and data of an element for 1 and 2 RJ45 connectors, belonging to the collection Simon 500 Cima. It is manufactured with halogen-free thermoplastic materials, which allow the no-propagation of the flame in case of fire management and smoke. In a plate, with dust cover and finished in white colour. Also includes clips for fastening, either vertically or horizontally, without the need for adapter. Simon 500 Cima Series has one of the installation systems faster, through a click terminal connection. It is only necessary to perform the following steps: Insert, tighten and ready!, without the need to strip the wire. This series also has a centre frame system for independent installation of the electrical circuit and voice and data. Simon 500 CIMA is therefore the solution for the most demanding needs of the market, in addition to having a system which saves up to 50% on installation time.

FINISH

White

PACKAGING CONTENTS

Angled voice and data plate with dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

FORMAT

RJ45

PLATE TYPE

Angled

AVAILABLE IN

Plate for 1 and 2 RJ45

IP RATING

IP20

RAL

9003

RJ45 CONNECTORS

Not included in voice and data plate

KIT AVAILABILITY

No

RJ45 ADAPTOR MODULE

Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT RJ45 PLATES

Corresponding to combined MD module

DUST PROTECTION

Yes

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

SNAP-FIT TYPE

Corresponding to combined MD module

DUST SHUTTER

Yes

NUMBER OF MODULES

1

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053095089

PACKAGING VOLUME

1.472

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

20

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

88

PACKAGING GROSS WEIGHT

0.285

UNITARY PACKAGING GROSS WEIGHT

0.014

PACKAGING WIDTH

123

PACKAGING NET WEIGHT

0.28

PRODUCT NET WEIGHT

0.014

PACKAGING LENGTH

136

PACKAGING WEIGHT UNIT

KGM

