

Side cover with direct access of combined cable RJ45 and for 4 individual cables for aluminum profiles Ofiblock Compact light gray Simon K45

REF. KCFC06/24



BASIC INFORMATION

DESCRIPTION

Side cover for duplex and individual cable access for integration into K45 Ofiblock Compact. Grey color and made from high-quality halogen-free, self-extinguishing thermoplastic components, preventing flame propagation and smoke toxicity in case of fire.

FINISH

Grey

COMPATIBILITY

Ofiblocks Compact and Line
Simon K45

ETIM CLASS

EC000011

MATERIAL

Plastic

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)

+125°C (according to standard IEC 60670)

KIT AVAILABILITY

No

RAL

7035

IP RATING

IP4X

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COVER

Only with tool

EXTINGUISHING (°C)

+850 °C (according to standard IEC 60670)

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053290354

PACKAGING VOLUME
911400

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
20

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
70

PACKAGING GROSS WEIGHT
0.258

UNITARY PACKAGING GROSS
WEIGHT
0.009

PACKAGING WIDTH
93

PACKAGING NET WEIGHT
0.18

PRODUCT NET WEIGHT
0.009

PACKAGING LENGTH
140

PACKAGING WEIGHT UNIT
KGM