

Frame for 4 elements titanium Simon 82 Concept

REF. 8200647-096



BASIC INFORMATION

FINISH

Titanium

MATERIAL

Thermoplastic

COMPATIBILITY

Simon 75, Simon 77 and Simon 82 mechanisms

PACKAGING

Flow pack

PACKAGING CONTENTS

Frame with 4 elements

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP21

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

AVAILABLE IN

1, 2, 3 and 4 elements

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INNER FRAME

Titanium

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface or recessed mount

REGULATIONS

WARRANTY

3 years

REGULATIONS

Directive 2014/35/UE LVD + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY EAN CODE 8421053228234	UNITARY PACKAGING GROSS WEIGHT 0.073	PACKAGING LENGTH 311.5
UNITARY PACKAGING HEIGHT 0	PRODUCT NET WEIGHT 0.073	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING WIDTH 0	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING VOLUME 0.41
UNITARY PACKAGING LENGTH 0	PACKAGING EAN 8421053228234	PACKAGING VOLUME UNIT DMQ
UNITARY PACKAGING MEASUREMENT UNIT MMT	UNITS CONTAINED PACKAGING 1	PACKAGING GROSS WEIGHT 0
UNITARY PACKAGING VOLUME 0	PACKAGING HEIGHT 13.5	PACKAGING NET WEIGHT 0.073
UNITARY PACKAGING VOLUME UNIT MMQ	PACKAGING WIDTH 97.5	PACKAGING WEIGHT UNIT KGM