

Quick connection patch cord female-male RZ - 0.6 kV 3 poles with 2 meters length in halogen-free material with section of 3 x 2.5mm² graphite

REF. CR2020/14



BASIC INFORMATION

FINISH

Black

COMPATIBILITY

Flexible connection system and
SIMON 400

ETIM CLASS

EC002587

MATERIAL

Plastic,PVC

TECHNICAL INFORMATION

PROTECTION AGAINST DIRECT ACCESS OF CONTACTS

Yes

IP RATING

IP20

RAL

7021

CONNECTOR TYPE

GST18

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VOLTAGE (V~)

250 V~

CURRENT (A)

16 A

INSTALLATION AND MAINTENANCE

REMOVAL OF CONNECTOR

No tools needed

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.372

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

8.95

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436039803

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0.3

UNITS CONTAINED PACKAGING

5

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

170

PACKAGING NET WEIGHT

1.86

UNITARY PACKAGING GROSS

WEIGHT

0.372

PACKAGING WIDTH

195

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

270