


Frame for 2 elements cold aluminium chrome base Simon 82 Detail Select

REF. 8201620-093



BASIC INFORMATION

FINISH

Aluminium/Chrome

COMPATIBILITY

Simon 75, Simon 77 and Simon
82 mechanisms

PACKAGING CONTENTS

Frame with 2 elements

MATERIAL

Plastic

ETIM CLASS

EC000007

REMARKS

It is recommended to use the cold aluminium finish for rockers and covers.

TECHNICAL INFORMATION

AVAILABLE IN

1, 2, 3 and 4 elements

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

2 elements

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053257449

UNITARY PACKAGING WEIGHT UNIT

KGM

UNITS CONTAINED PACKAGING

5

UNITARY PACKAGING GROSS WEIGHT

0.164

UNITARY PACKAGING WIDTH

0

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053119129

PACKAGING VOLUME

949344

UNITARY PACKAGING LENGTH

0

PACKAGING GROSS WEIGHT

0.82

PACKAGING VOLUME UNIT

MMQ

PRODUCT NET WEIGHT

0.164

PACKAGING HEIGHT

58

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING VOLUME

0

PACKAGING LENGTH

176

PACKAGING WIDTH

93

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING NET WEIGHT

0.82