# Accessory extensive ring 800.23/.24

REF. **80093930-039**

## BASIC INFORMATION

### APPLICATION
General technical lighting

### PACKAGING CONTENTS
1 Units

### ETIM CLASS
EC002557

## TECHNICAL INFORMATION

### FREQUENCY
50 - 60 Hz

### IP RATING
IP54

## INSTALLATION AND MAINTENANCE

### INSTALLATION TYPE

Recessed

## REGULATIONS

### WARRANTY

5 years 50.000 h

### REGULATIONS

Dir. 2014/35/UE LVD |Dir. 2014/30/UE EMC|Dir. 2009/125/EC ErP (Reg. UE 2019/2020) |Dir. 2009/125/EC ErP (Reg. UE 2019/2015)|Dir. 2011/65/UE RoHS + post. mod|EN 60598-2-2:2012 |EN IEC 55015:2019 + A11:2020|EN 62493:2015 |EN 61547:2009|EN 62717:2017 + A2:2019 |EN IEC 61000-3-2:2019 + A1:2021|EN IEC 63000:2018 |EN 61000-3-3:2013 + A1:2019 + A2:2021

## LOGISTICS INFORMATION

UNITARY EAN CODE
8421053304655

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.22

PRODUCT NET WEIGHT
0.102

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053304655

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
5

PACKAGING WIDTH
235

PACKAGING LENGTH
235

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
276125

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.22

PACKAGING NET WEIGHT
0.102

PACKAGING WEIGHT UNIT
KGM