

## Angled voice and data plate with dust cover for 1 RJ45 connector grey Simon 75

REF. 75578-35



## BASIC INFORMATION

### DESCRIPTION

This flat voice and data plate comes in grey, with dust cover for 1 RJ45 connector, it belongs to the Simon 75 series, made of thermoplastic and finished in white plastic. It is available in 4 finishes, it is recommended to choose a frame with the same colour of the plate chosen. It can be either surface mounted or flush mounted. The temperature ranges that the part supports are between 5 and 40°C, being able to withstand maximum temperatures of up to -25 and 50° C. This type of plate does not apply any regulation. This type of plate is inclined, with 1 connector and a dust shutter. RJ45 adaptor not included. The plate of voice and data tilt plate is of individual version, it does not contain any module but an element. This model does not include engravings or signaling function. It is recommended for the correct maintenance of the flat voice and data plate inclined use a soft cloth slightly moistened in soapy water to clean it properly.

### FINISH

Grey

### MATERIAL

Thermoplastic

### PACKAGING CONTENTS

Plate

### SYMBOL

Without engravings

### COMPATIBILITY

Simon 75 mechanisms

### ETIM CLASS

EC000018

### REMARKS

Available in 4 finishes. It is recommended to choose a frame the same colour as the selected plate.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### INDICATOR FUNCTION

No

### PLATE TYPE

Angled

### NUMBER OF CONNECTORS

1

### IP RATING

IP20

### RJ45 ADAPTOR MODULE

Not Included

### DUST SHUTTER

Yes

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### NUMBER OF POSSIBLE ELEMENTS

1 element

### VERSION

Single

### FORMAT

RJ45

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

## LOGISTICS INFORMATION

### UNITARY PACKAGING HEIGHT

0

### PRODUCT NET WEIGHT

0.053

### PACKAGING MEASUREMENT

UNIT

MMT

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING WEIGHT

UNIT

KGM

### PACKAGING VOLUME

1517738

### UNITARY PACKAGING LENGTH

0

### PACKAGING EAN

8421053055359

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING VOLUME

1517738

### UNITS CONTAINED PACKAGING

5

### PACKAGING GROSS WEIGHT

0.265

### UNITARY PACKAGING VOLUME

UNIT

MMQ

### PACKAGING HEIGHT

82

### PACKAGING NET WEIGHT

0.265

### UNITARY PACKAGING GROSS WEIGHT

0.053

### PACKAGING WIDTH

83

### PACKAGING WEIGHT UNIT

KGM

### PACKAGING LENGTH

223