

Solar tour 2 sides on 4 double posts white Simon CIMA

REF. ST400/9



BASIC INFORMATION

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

With Simon Cima and Simon 27
Play/Simon K45 mechanisms (via
adapter)

ETIM CLASS

EC001941

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION

08

KIT AVAILABILITY

No

RAL

9003

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

REMOVAL OF THE FRAME

Only with tool

SCREWS REQUIRED FOR FLOOR FIXING

4

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436017474

PRODUCT NET WEIGHT

0.63

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

3217500

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436017474

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.66

UNITARY PACKAGING VOLUME

0.3

PACKAGING HEIGHT

165

PACKAGING NET WEIGHT

0.63

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

130

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.63

PACKAGING LENGTH

150