

Front kit for 1 element with 1 German socket outlet Simon iO gloss white Simon 100

REF. 10021108-130



BASIC INFORMATION

DESCRIPTION

Front kit intended to occupy 1 element with 1 Schuko Simon iO socket base. It is a device made in elegant white with a glossy finish that is part of the Simon 100 series.

The direction of the installation in which this device can be placed is vertical and horizontal. It is a device that works with an intensity 16A and the type of emborning that it presents is by 1 click cut, while the type of activation is by insertion. The device is ready to operate with a voltage of 250 V ~.

To maintain it correctly and for its operation, it must be preserved in a temperature range of 5 to 40° C and a storage temperature range of -25 to 50° C.

This product has dimensions of 85.5x83.5mm, it is a type of product that is available in the EC. It has been developed based on regulations 2011/65 / UE RoHS + directive 2014/53 / UE RED + EN 50581: 2012 + ETSI-300-220-2 v2.4.1 + EN 60730-2-7: 2015 + IEC 60884-1 Ed 3.2.

FINISH

Gloss white

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

1 element

INDICATOR FUNCTION

Yes

CURRENT (A)

16 A

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Insertion

MONOBLOCK

No

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

1 element

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for flush mounting

KIT INSTALLATION DIRECTION

Vertical and horizontal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

1 click connection (1 click®)

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + Directive 2014/53/UE RED + EN 50581:2012 + ETSI-300-220-2 v2.4.1 + EN 60730-2-7:2015 + IEC 60884-1 Ed 3.2

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053084106

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.056

PRODUCT NET WEIGHT

0.056

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053084106

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

25.3

PACKAGING WIDTH

84

PACKAGING LENGTH

84

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

178516.8

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.056

PACKAGING NET WEIGHT

0.056

PACKAGING WEIGHT UNIT

KGM