

Downlight 705.23 Directional NW Wide Flood 1-10V White

REF. 70523130-484



BASIC INFORMATION

DESCRIPTION

Model spotlight for Spaces of indoor reference number 70523130-484, spotlight class Downlight ideal For indoor and work environments Professionals. It is an element Indoor lighting Category A, with values of high technical quality. Lighting colour of the type and values of NW WIDE FLOOD optics, offering a light Forward, constant and high performance. It has a control Electrical 1-10 V and reaches a few parameters of power up to 15,5W, it is an element Ideal for spaces with dimensions of indoor 88x86 mm for flush mount Installations, colour, finishes and shades in white.

APPLICATION

Ambient lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS/W

1080 lm/15,5W

IP RATING

IP20

ELECTRICAL CLASS

Type 2

OPTICS

Wide Flood

OPERATING TEMPERATURE RANGE (°C)

40 °C maximum

INTEGRATED POWER SUPPLY

No

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

100/240 V~

L70 (°C)

30,000 h at 25 °C

POWER (W)

15.5 W

COLOR TEMPERATURE (K)

3900 K

COLOR TYPE

NW

POWER SUPPLY DIMENSIONS (MM)

45x141x26 mm

CONTROL

1-10 V

LIGHTING EFFICIENCY (LM/W)

70 lm/W

SERVICE LIFE

30.000 h

CRI

80

LUMENS (LM)

1080 lm

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

MINIMUM INSTALLATION HEIGHT

136

INSTALLATION TYPE

Flush mount

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053122303

PACKAGING VOLUME

3.034

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

135

PACKAGING GROSS WEIGHT

0.502

UNITARY PACKAGING GROSS WEIGHT

0.502

PACKAGING WIDTH

145

PACKAGING NET WEIGHT

0.502

PRODUCT NET WEIGHT

0.502

PACKAGING LENGTH

155

PACKAGING WEIGHT UNIT

KGM