

## Voice and data flat plate with dust cover for 1 element for 1 ADC Krone® RJ45 connector black Simon K45

REF. K82/14



## BASIC INFORMATION

### DESCRIPTION

Completely plate of voice and data plate with dust cover for an element for an RJ45 connector ADC Krone, black, grey in colour of the series Simon K45 plate is individual. The number of modules with half. The dimensions are 45 x 45 mm and a depth of 8,45 mm It is manufactured using a thermoplastic material, halogen-free, to guarantee the security in case of producing a fire during their use. This material ensures that the toxicity if there is smoke would be minimum. If you want to guide the plate into a vertical position, it is necessary to include the 90 ° positioner (ref. K66). The voice and data plate Simon can be installed in two different shapes: Recessed or on a surface-mounted. The instructions for cleaning and maintenance are simple: Just use a soft dry cloth of cotton to clean it, never use cloths wet or aggressive cleaners.

### FINISH

Black

### COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

### PACKAGING CONTENTS

Flat voice and data plate with dust cover

### ETIM CLASS

EC000018

### REMARKS

When combining the voice and data plate in vertical housings (mini columns, columns, Teleblock, channels, mechanism holders, etc.) you must use the 90° positioner (ref. K66) to guide the plate into a vertical position.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### DUST SHUTTER

Yes

### NUMBER OF MODULES

Half

### AVAILABLE IN

Plate for 1 RJ45 connector

### FORMAT

RJ45

### PLATE TYPE

Flat

### COMPATIBLE WITH CONNECTORS

ADC Krone® HK Keystone series.

### IP RATING

IP20

### RAL

7021

### RJ45 CONNECTORS

Not included in voice and data plate

### KIT AVAILABILITY

No

### RJ45 ADAPTOR MODULE

Included in voice and data plate

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### SNAP-FIT RJ45 PLATES

ADC Krone® RJ45 connectors

### SNAP-FIT TYPE

ADC Krone® RJ45 connectors

### DUST PROTECTION

Yes

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

### INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

### INSTALLATION TYPE

Suitable for surface and flush mounting

### REMOVAL OF THE PLATE

Only with tool

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018\*1

## LOGISTICS INFORMATION

### UNITARY PACKAGING HEIGHT

0

### PRODUCT NET WEIGHT

0.011

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING VOLUME

911400

### UNITARY PACKAGING LENGTH

0

### PACKAGING EAN

8426436032439

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING VOLUME

45570

### UNITS CONTAINED PACKAGING

20

### PACKAGING GROSS WEIGHT

0.22

### UNITARY PACKAGING VOLUME UNIT

MMQ

### PACKAGING HEIGHT

70

### PACKAGING NET WEIGHT

0.22

### UNITARY PACKAGING GROSS WEIGHT

0.011

### PACKAGING WIDTH

93

### PACKAGING WEIGHT UNIT

KGM

### PACKAGING LENGTH

140