


Back kit for 3 elements with 1 Schuko socket, 1 2xUSB charger, 1 IO shutter switch and 1 two-way push-button switch Simon 100

REF. 10010306-039



BASIC INFORMATION

DESCRIPTION

Back kit designed for 3 elements that consists of a Schuko socket, a 2xUSB charger, an IO switch for blinds and a 2-way push button. The kit is suitable for flush mounting and is included in the Simon 100 series, has a screw terminal connection for the USB, while for the rest of the elements is by cutting (1 click). This system is one of the flagships of this collection, as it makes the task much easier and safer, as it does not require stripping cables. For the installation of the back kit, it is advisable to do it in environments between 5 and 40°C temperature to optimum product preservation. The Simon 100 series is a collection that focuses on the innovation and manages to dynamize all kinds of environments, in addition, it makes the interaction with the user through its parts that combine perfectly usability with design.

FINISH

Black

COMPATIBILITY

Front Kit Simon 100

ETIM CLASS

EC002846

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

3 elements

INDICATOR FUNCTION

No

CURRENT (A)

16 A

TYPE OF MECHANISM

Push button rocker
switch/Insertion

MONOBLOCK

No

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

USB CURRENT (A)

2,1 A

VOLTAGE (V~)

230 V~

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal

KIT INSTALLATION DIRECTION

Horizontal

TYPE OF TERMINAL CONNECTION - FUNCTION 2

USB: Screw

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Schuko/Switch/2-way Switch: 1
click connection (1 click®)

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2: 2008*2 + EN 60950-1:2006 + EN 60950-1:2006 A11:2009 + EN 60950-1:2006 A1:2010 + EN 60950-1:2006 A12:2011 + EN 60950-1:2006 A2:2011*3 + ETSI-EN 301489-34 v14.1*3 + IEC 60884-1 Ed. 3.2*1

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053147832

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.361

PRODUCT NET WEIGHT

0.361

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053147832

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

75

PACKAGING WIDTH

88

PACKAGING LENGTH

230

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1518000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.361

PACKAGING NET WEIGHT

0.361

PACKAGING WEIGHT UNIT

KGM