


**Front kit for 3 elements with 2 German socket outlets and
1 single R/TV+SAT socket with 1 RJ45 connector matt black
Simon 100**

REF. 10020303-238



BASIC INFORMATION

DESCRIPTION

Front kit for 3 elements with 2 Schuko plug bases and 1 single R-TV + SAT socket with 1 matte black RJ45 connector. It has the capacity to occupy 3 elements, being a standard product of Simon's 100 range and compatible with the rest of mechanisms of the same series.

This product is finished in an elegant, but modern, matte black, which also serves as a rather subtle, but effective decorative element.

Its sense of installation is vertical, although it can also be horizontal, allowing it to be located in diverse areas, beyond the space available for it. The content of its packaging consists of a cover and keys.

For its maintenance, a damp cloth with some water and soap should be used and products containing chemicals should be avoided in order to promote its durability and appearance.

To perform a correct maintenance of the device, a temperature range of 5° C to 40° C must be maintained for proper operation and the temperature range for storage must range between -25° C and 50° C.

This kit complies with directive 2014/35/UE LVD + directive 2011/65/UE RoHS + EN 50581: 2012 + EN 60669-1: 1999 + EN 60669-1: 1999 A1: 2002 + EN 60669-1: 1999 A2: 2008.

FINISH

Matt black

PACKAGING CONTENTS

Cover and rockers

COMPATIBILITY

Kit mechanisms Simon 100

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

3 elements

INDICATOR FUNCTION

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

MONOBLOCK

Yes

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

3 elements

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Vertical and horizontal

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053213612

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053213612

PACKAGING VOLUME

480295.2

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

25.3

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

226

PACKAGING NET WEIGHT

0.132

UNITARY PACKAGING GROSS WEIGHT

0.132

PACKAGING LENGTH

84

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.132