


# Standard button box 4 functions graphite Simon 82 Sense

REF. 8000641-038



## BASIC INFORMATION

### FINISH

Graphite

### MATERIAL

Thermoplastic

### PACKAGING CONTENTS

Keypad and instructions

### SYMBOL

Dot

### COMPATIBILITY

Simon Sense Mechanisms

### ETIM CLASS

EC000672

### REMARKS

Requires installation on LON or KNX bus coupling unit (8000100-039 or 8400100-039). Possibility of customising and creating your own configuration by choosing the functions you need from our icon library.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### NUMBER OF POSSIBLE ELEMENTS

1 element

### INDICATOR FUNCTION

Yes

### CURRENT (A)

8 mA

### IP RATING

IP20

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TYPE OF MECHANISM

Touch

### OPERATING TEMPERATURE RANGE (°C)

0 - 45 °C

### POWER SUPPLY (V~)

24 Vdc

### RELATIVE HUMIDITY

From 20 to 85% (without condensation)

### SLIDE CONTROL

No

### SOUND FEEDBACK

Yes

### STORAGE TEMPERATURE RANGE (°C)

25 - 70 °C

### VIBRATION FEEDBACK

Yes

## INSTALLATION AND MAINTENANCE

### INSTALLATION TYPE

Suitable for surface and flush mounting

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-5:2016

## LOGISTICS INFORMATION

UNITARY EAN CODE

8421053128572

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053128572

PACKAGING VOLUME

129.688

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

23

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

57

PACKAGING NET WEIGHT

0.037

UNITARY PACKAGING GROSS  
WEIGHT

0.037

PACKAGING LENGTH

84

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.037