Plate for electronic rotary mechanisms ivory Simon 75

REF. **75054-31**



BASIC INFORMATION

DESCRIPTION

Plate for the electronic rotating mechanisms, in ivory colour and belonging to the Simon 75 series. This plate is suitable both for surface and flush mounting, in places with a temperature located between 5 and 40ºC, approximately, although it is capable of withstanding extreme temperatures of -25 to 50ºC. Its design is the regulation UNE-EN 60669-1: 2002 + A1: 2003 + A2: 2009 and is a plate made of thermoplastic, so that its maintenance is very simple, as it will only need to wipe it with a soft cloth slightly moistened in soapy water, never you have to use abrasive cloths or cleaners that contain chlorine in its formula. Two things that stands out for the Simon 75 series is because it offers infinite combinations of colours and excellent game of shapes. Are also could point out that it is a series compatible with the Simon 77 mechanisms, which allows you to connect the cables without having to peel them, braid them and without that they do not have to use other additional tools to place them, thus saving you time in the installation.

FINISH

Ivory

MATERIAL

Thermostable

PACKAGING CONTENTS

Plate

SYMBOL

Without engravings

COMPATIBILITY

Simon 75 mechanisms

ETIM CLASS

EC000011

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (ºC)

5 - 40 ºC

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (ºC)

-25 - 50 ºC

INDICATOR FUNCTION

No

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for surface and flush mounting

REGULATIONS

REGULATIONS
Dir. 2014/35/UE LVD|Dir. 2014/30/UE EMC|Dir. 2011/65/UE RoHS + post. mod.|EN 60669-2-1:2004|EN 60669-2-1:2004 A1:2009|EN 60669-2-1:2004 A12:2010|EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.035

PRODUCT NET WEIGHT
0.035

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053013700

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
82

PACKAGING WIDTH
82

PACKAGING LENGTH
221

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1486004

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.35

PACKAGING NET WEIGHT
0.35

PACKAGING WEIGHT UNIT
KGM