

**Plate for electronic touch mechanisms with blue light  
graphite Simon 82**

REF. 82034-38



## BASIC INFORMATION

### DESCRIPTION

Plate for rotary electronic mechanisms with incorporated luminous, in graphite colour blue (even if it is available in 5 different finishes and it is always recommended to use the frame in the same baseboard colour as the selected plate), belonging to the Simon 82 series. It measures 55 x 55 mm and complies with the regulation European UNE-EN 60669-1: 2002 + A1: 2003 + A2: 2009 and is manufactured in thermoplastic, a material very easy to maintain and clean. Will only have to use, for cleaning, a soft cloth slightly moistened in soapy water, forgetting, at all times, the use of cloths and / or abrasive cleaners containing chlorine. This is a plate suitable for installation in surface-mounted and recessed way, always in rooms with a temperature of between 5 and 40°C, more or less, although it is able to withstand extreme temperatures of -25 to 50°C, approximately, making it ideal for all types of climates.

### FINISH

Graphite

### MATERIAL

Plastic

### PACKAGING CONTENTS

Plate

### SYMBOL

Without engravings

### COMPATIBILITY

Simon 75 mechanisms

### ETIM CLASS

EC000011

### REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

## TECHNICAL INFORMATION

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### INDICATOR FUNCTION

Yes

### VERSION

Single

### IP RATING

IP20

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Vertical and horizontal

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-2-1:2004 | EN 60669-2-1:2004 A1:2009 | EN 60669-2-1:2004 A12:2010 | EN IEC 63000:2018

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053258149

### UNITARY PACKAGING GROSS WEIGHT

0.15

### PACKAGING LENGTH

90

### UNITARY PACKAGING HEIGHT

0

### PRODUCT NET WEIGHT

0.15

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING VOLUME

597780

### UNITARY PACKAGING LENGTH

0

### PACKAGING EAN

8421053012932

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITS CONTAINED PACKAGING

5

### PACKAGING GROSS WEIGHT

0.75

### UNITARY PACKAGING VOLUME

0

### PACKAGING HEIGHT

81

### PACKAGING NET WEIGHT

0.75

### UNITARY PACKAGING VOLUME UNIT

MMQ

### PACKAGING WIDTH

82

### PACKAGING WEIGHT UNIT

KGM