Trim plate for 1 quick connection connector with 3 poles male or female for 1 element black Simon K45

REF. **K121/14**



BASIC INFORMATION

DESCRIPTION

Simon is a indisputable in electrical installations and always at the forefront of the latest innovations and innovations. As the system workplace solutions Simon K45. This series has a multitude of elements for solutions of workplace solutions in work stations in the most demanding environments. Among them we find this trim plate for quick connections. With a black finish and a 3-pole connector, male or female. It is suitable for flush mounting or surface-mounted, adapting to any space, its dimensions are 45 x 22.5 and a depth of 8 millimetres. This trim plate does not include the connector, but it is compatible with the leading manufacturers. Thanks to its wide range of products such as the plates for multimedia, the floor boxes, the connection blocks, the mini-towers or the switching mechanisms, make this series of Simon K45 one of the most complete in terms of solutions for workplace solutions in work stations.

FINISH

Black

MATERIAL

Plastic

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

Plate for one 3-pole quick connection connector

ETIM CLASS

EC000011

REMARKS

Connector not included (to be purchased separately). If using another quick connect brand, the plate is compatible with the leading manufacturers (Wieland®, Wago®, etc). To fix the connector to the plate correctly, the clips must be between 1.5 and 2 mm thick.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
Version with 1 male or female 3-pole connector

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60° C

FORMAT
GST18

INDICATOR FUNCTION
No

IP RATING
IP20

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60° C

NUMBER OF MODULES
Four

RAL
7021

VERSION
Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING
Fixing by direct snap-fit, no tools needed

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION DIRECTION
Vertical according to the direction of the mechanisms

INSTALLATION TYPE
Suitable for surface and flush mounting

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60535:2009 A1:2013

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
27216

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.004

PRODUCT NET WEIGHT
0.004

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436043794

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
72

PACKAGING WIDTH
72

PACKAGING LENGTH
105

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
544320

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.08

PACKAGING NET WEIGHT
0.08

PACKAGING WEIGHT UNIT
KGM